

# RB260GS MIKROTIK Switch Gigabit 5 Port

**Kode** : RB260GS**Brand** : Mikrotik**Jenis** : Switch Managed**Harga** : Rp 745.000,00

Routerboard RB260GS merupakan switch gigabit 5 port + **1 SFP port** dengan kemasan plastik, dengan prosesor Taifatech TF470 NAT accelerator (RISC, 50MHz), Atheros Switch Chip. Menggunakan Switch Operating System (SwOS) dari MikroTik. Sudah termasuk adaptor 12V.

Penawaran Harga Spesial

 08112039555

Mampu melakukan fungsi-fungsi standart manageable switch, plus dapat mengatur port-to-port forwarding, menerapkan MAC filter, mengkonfigurasi VLAN, mirror traffic, bandwidth limitation, dan bahkan mengubah beberapa MAC dan IP header. Dikonfigurasi dilakukan menggunakan web.

## Spesifikasi Produk

- **Product code:** RB/250GS
- **CPU:** Taifatech TF470 NAT accelerator (RISC, 50MHz)
- **RAM:** embedded 96K SRAM
- **Architecture:** RISC
- **LAN ports:** 5
- **Gigabit:** Yes
- **SFP Port:** 1
- **MiniPCI:** 0
- **miniPCI-e:** 0
- **Integrated Wireless:** 0
- **Wireless standards:** 0
- **USB:** 0
- **Memory Cards:** 0
- **Power Jack:** 9-28V DC
- **PoE:** yes (poe adaptor dibeli terpisah)
- **Dimensions:** 113x89x28mm
- **Operating System:** MikroTik SwOS
- **Temperature range:** -25? to +65?

## Screen Capture Web Remote

MikroTik SwOS Logout

Link Forwarding Statistics VLAN VLANs Static Hosts Hosts SNMP ACL System

	Port1	Port2	Port3	Port4	Port5
<b>Link</b>					
<b>Enabled</b>	<input checked="" type="checkbox"/>				
<b>Link Status</b>	link on	no link	no link	no link	no link
<b>Auto Negotiation</b>	<input checked="" type="checkbox"/>				
<b>Speed</b>	100				
<b>Full Duplex</b>	yes	no	no	no	no
<b>Crossover</b>	no	no	no	no	no
<b>Flow Control</b>	<input checked="" type="checkbox"/>				

Discard Changes Apply All

MikroTik SwOS Logout

Link Forwarding Statistics **VLAN** VLANs Static Hosts Hosts SNMP ACL System

	Port1	Port2	Port3	Port4	Port5
<b>Ingress</b>					
<b>VLAN Mode</b>	disabled	disabled	disabled	disabled	disabled
<b>Default VLAN ID</b>	1	1	1	1	1
<b>Force VLAN ID</b>	<input type="checkbox"/>				
<b>Egress</b>					
<b>VLAN Header</b>	leave as is				

Discard Changes Apply All

MikroTik SwOS

[Link](#)
[Forwarding](#)
[Statistics](#)
[VLAN](#)
[VLANs](#)
[Static Hosts](#)
[Hosts](#)
[SNMP](#)
[ACL](#)
[System](#)
[Logout](#)

	Port1	Port2	Port3	Port4	Port5
<b>Forwarding</b>					
From Port 1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
From Port 5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Port Lock</b>					
Port Lock	<input type="checkbox"/>				
Lock On First	<input type="checkbox"/>				
<b>Port Mirroring</b>					
Mirror Ingress	<input type="checkbox"/>				
Mirror Outgress	<input type="checkbox"/>				
Mirror To	<input type="radio"/>				
<b>Bandwidth Limit</b>					
Ingres Rate	<input type="text"/>				
Outgres Rate	<input type="text"/>				
<b>Broadcast Storm Control</b>					
Storm Rate	<input type="text" value="unlimited"/>				
Include Unicast	<input type="checkbox"/>				

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/340/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)