

# RG-RAP1200(P) REYEE Wi-Fi 5 Wall-mounted Access Point



**Kode** : RG-RAP1200(P)

**Brand** : Ruijie - Reeye

**Jenis** : Wireless Indoor

**Harga** : Rp 894.000,00

RG-RAP1200(P) Ruijie Reeye Wi-Fi 5 Wall-mounted Access Point.

**\*Belum termasuk adaptor dan poe injector.**

**\*Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**

**Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.**

Penawaran Harga Spesial

 **08112039555**

- Dual-radio performance, gigabit wireless wall-mounted AP.
- Better experience with MU-MIMO under 802.11ac Wave2.
- Easy installation, worldwide compatible.
- One click to optimize, get better Wi-Fi experience.
- Easily set up your Wi-Fi network in 3 minutes.



### Specification

<b>Model</b>	RG-RAP1200(P)
<b>Protocol</b>	Concurrent 802.11ac Wave2, Wave1, 802.11a/b/g/n
<b>Operating Bands</b>	802.11b/g/n : 2.4 GHz - 2.4835 GHz 802.11a/n/ac : 5 GHz: 5.150 GHz - 5.350 GHz, 5.725 GHz - 5.850 GHz (country specific)
<b>Antenna</b>	Built-in Omnidirectional Antennas (2.4 GHz: 2dBi, 5 GHz: 2dBi)
<b>Spatial Streams</b>	2.4 GHz: 2x2 MIMO 5 GHz: 2x2 MIMO

<b>Max Throughput</b>	Up to 400 Mbps at 2.4 GHz Up to 867 Mbps at 5 GHz Access rate per AP : 1.267 Mbps
<b>Service Ports</b>	Front: 4x 10/100/1000 Base-T port, LAN1 supports IEEE.802.3af PoE OUT Rear: 1x 10/100/1000 Base-T (PoE in)
<b>Power Supply</b>	Support PoE (802.3af/at)
<b>Power Consumption</b>	≤ 8 W
<b>Operating temperature</b>	0°C - 40°C
<b>Storage temperature</b>	-40°C - 70°C
<b>MTBF</b>	>250000H
<b>Maximum number of clients</b>	110
<b>Recommended number of clients</b>	80

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/1017/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**