

RG-RAP1200(P) Reyee Wi-Fi 5 Wall-mounted Access Point



Kode : RG-RAP1200(P)

Kategori : Ruijie & Reyee Wireless

Harga : Rp 847.000,00

RG-RAP1200(P) Reyee Wi-Fi 5 Wall-mounted Access Point.

***Belum termasuk adaptor dan poe injector.**

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran Harga Spesial

 **08112039555**

- Dual-radio performance, gigabit wireless wall-mounted AP.
- Better experience with MU-MIMO under 802.11ac Wave2.
- Easy installation, worldwide compatible.
- One click to optimize, get better Wi-Fi experience.
- Easily set up your Wi-Fi network in 3 minutes.



Specification

Model	RG-RAP1200(P)
Protocol	Concurrent 802.11ac Wave2, Wave1, 802.11a/b/g/n
Operating Bands	802.11b/g/n : 2.4 GHz - 2.4835 GHz 802.11a/n/ac : 5 GHz: 5.150 GHz - 5.350 GHz, 5.725 GHz - 5.850 GHz (country specific)
Antenna	Built-in Omnidirectional Antennas (2.4 GHz: 2dBi, 5 GHz: 2dBi)
Spatial Streams	2.4 GHz: 2x2 MIMO 5 GHz: 2x2 MIMO
Max Throughput	Up to 400 Mbps at 2.4 GHz Up to 867 Mbps at 5 GHz Access rate per AP : 1.267 Mbps

Service Ports	Front: 4x 10/100/1000 Base-T port, LAN1 supports IEEE.802.3af PoE OUT Rear: 1x 10/100/1000 Base-T (PoE in)
Power Supply	Support PoE (802.3af/at)
Power Consumption	≤ 8 W
Operating temperature	0°C - 40°C
Storage temperature	-40°C - 70°C
MTBF	>250000H
Maximum number of clients	110
Recommended number of clients	80

[Download Datasheet](#)

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/1017/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com