**CITRAWEB SOLUSI TEKNOLOGI**
www.citraweb.com
info@citraweb.com
sales@citraweb.com

# RG-RAP6262 REYEE Wi-Fi 6 AX3000 High-performance Outdoor Omni-directional Access Point



**Kode** : RG-RAP6262
**Brand** : Ruijie - Reyee
**Jenis** : Wireless Outdoor
**Harga** : Rp 4.950.000,00

RG-RAP6262 Ruijie Reyee Wi-Fi 6 AX3000 High-performance Outdoor Omni-directional Access Point. A Perfect Blend of High Performance and Full Coverage with a revolutionary combination of OFDMA and 1024QAM, the latest 802.11ax standard, and the 160MHz band.

Support Extra-Distance Access Point DeploymentWith gigabit SFP port, the device supports up to 20kmtransmission from datacenter with single mode fiber.

***Belum termasuk adaptor dan poe injector**

***Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**

Penawaran Harga Spesial
08112039555

- 'UFO' design, a perfect blend of high performance and full coverage
- Enter the era of ultra-high Wi-Fi 6 speed
- Extra-distance access point deployment with SFP port
- IP68 protection, rock-solid in harsh environments
- Easily expand extra outdoor Wi-Fi with Reyee Mesh

www.citraweb.com

**CITRAWEB SOLUSI TEKNOLOGI**
www.citraweb.com
info@citraweb.com
sales@citraweb.com




www.citraweb.com

**Specification**

| | |
|---|---|
| **Model** | RG-RAP6262 |
| **Protocol** | Wi-Fi 6 (IEEE 802.11ax)<br>Wi-Fi 5 (IEEE 802.11ac Wave2)<br>Wi-Fi 4 (IEEE 802.11n)<br>IEEE 802.11a<br>IEEE 802.11b/g |
| **Antenna** | Built-in Omnidirectional Antennas (2.4GHz: 3 dBi; 5GHz: 4 dBi) |
| **Spatial Streams** | 2.4 GHz: 2x2 MU-MIMO<br>5 GHz: 2x2 MU-MIMO |
| **Max Throughput** | Up to 574 Mbps at 2.4 GHz<br>Up to 2402 Mbps at 5 GHz |
| **Service Ports** | 1x 10/100/1000 Base-T<br>1x 1GBase-X SFP port<br>1x DC port<br>1x Reset button |
| **Power Supply** | IEEE 802.3at PoE, DC 12V/2A<br>(Note: The power adapter is sold as an optional accessory) |

| | |
|---|---|
| **Power Consumption** | ≤ 24 W |
| **Operating temperature** | -30°C-65°C |
| **Storage temperature** | -40°C-85°C |
| **MTBF** | >400000H |
| **Maximum number of clients** | 512 |
| **Recommended number of clients** | 110 |
| **Maximum Number of SSIDs** | 8 |

**Download Datasheet**

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

**URL :** https://www.citraweb.com/produk/1023/

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com**

www.citraweb.com