

FD1616S-B2 C-DATA 16PON 2GE 2SFP 4SFP+ GPON OLT

Kode : FD1616S-B2

Brand : C-Data

Jenis : FTTH OLT

Harga : Rp 26.000.000,00

Rp 29.000.000,00



GPON OLT FD1616S-B2 sepenuhnya mendukung standar ITU G.984.x dan FSAN. Perangkat **rack-mounted 1U** dengan dilengkapi **1 port USB, 2 port uplink Gigabit Ethernet, 2 port uplink SFP, 4 port uplink SFP+ 10G**, serta **16 port GPON**. Setiap port GPON mendukung rasio splitting hingga **1:128**, sehingga sistem GPON ini mampu melayani hingga **2048 terminal koneksi**.

Penawaran Harga Spesial

 **08112039555**



Specification

Model	FD1616S-B2
Uplink Port	2 10/100/1000M auto-negotiation Ethernet ports
	2 SFP interfaces
	10-Gigabit : 4 SFP+ interfaces
PON Port	Quantity : 16
	Physical interface : SFP slot
	Interface type : ITU-TG.984.2 Class B+/Class C+
	Max splitting ratio : GPON: 1:128
Management Port	1 100/1000BASE-Tx out-band Ethernet port 1 CONSOLE local management port
USB Port	1 USB interface (It's used to backup configuration, upgrade program and record log information)
Transmission distance	20KM
Port rate	GPON: Downstream: 2.5Gbps Upstream: 1.25Gbps
Wavelength	Forwarding: 1490nm Receiving: 1310nm
Interface type	SC/UPC
Fiber type	9/125µm SMF (Single Mode Fiber)
Light transmission power	Class B+ : +1.5~ +5dBm Class C+ : +3 ~ +7dBm
Receiving sensitivity	Class B+ : -28dBm Class C+ : -30dBm
Saturation power	Class B+ -8dBm Class C+ -12dBm
Network management method	Support CLI/WEB/Telnet/SSH/MQTT
Backplane Bandwidth	148G
Power supply	AC : 100V ~ 240V, 47~63Hz DC : -40V ~ -72V
Working temperature	-15 ~ 50 C
Storage temperature	-40 ~ 85 C
Ambient humidity	5 ~ 90% (Non-condensing)

[Download Datasheet](#)

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : <https://www.citraweb.com/produk/1399/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com