CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

eKitEngine S620-24T16X8Y2CZ HUAWEI Core Switch

Kode : S620-24T16X8Y2CZ
Brand : Huawei
Jenis : Switch Managed

Huawei eKitEngine S620-24T16X8Y2CZ merupakan perangkat core switch managed yang cocok digunakan untuk SMB (Small Medium Business) dilengkapi dengan 24 port 10/100/1000BASE-T, 16 port SFP+ 10G, 8 port SFP28 25G, 2 port QSFP28 100G, expansion card slot dan 1 AC power module 600W.

Penawaran Harga Spesial
08112039555

Fitur Unggulan :

- **Enabling Networks to Be More Agile for Services**
- **Delivering Abundant Services More Agilely**
- **Flexible Ethernet Networking**
- **Intelligent Stack (iStack)**
- **Smart Upgrade**
- **Cloud Management**
- **Easy O&M**

www.citraweb.com

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

Specification

Model	eKitEngine S620-24T16X8Y2CZ
Fixed port	24 x 10/100/1000M BASE-T ports 16 x 10GE SFP+ ports 8 x 25GE SFP28 ports 2 x 40GE/100GE QSFP28
Switching capacity	1568Gbps
Packet forwarding rate	1167 Mpps
Expansion slot	One slot reserved for expansion card
Chassis dimensions (H x W x D)	43.6 mm x 442.0 mm x 420.0 mm
Chassis height (U)	1 U
Power supply type	600 W AC power module (Included)
Rated input voltage	AC input: 100 V AC to 130 V AC, 200 V AC to 240 V AC, 50/60 Hz - High-voltage DC input: 240 V DC - DC input: –48 V DC to –60 V DC
Input voltage range	- AC input: 90 V AC to 290 V AC, 45 Hz to 65 Hz - High-voltage DC input: 190 V DC to 290 V DC - DC input: –38.4 V DC to –72 V DC
Typical power consumption	122W
Max Power Consumption	127W
Noise under normal temperature (sound power)	41.2 dBA
Long-term operating temperature	–5°C to +45°C (23°F to 113°F)

www.citraweb.com

Storage temperature	–40°C to +70°C (–40°F to +158°F)
Relative humidity	5% to 95% (non-condensing)
Power port surge protection	AC power port: ±6 kV in differential mode, ±6 kV in common mode DC power port: ±2 kV in differential mode, ±4 kV in common mode
Heat dissipation mode	Air cooling, intelligent fan speed adjustment
MAC	up to 64K
VLAN	4K

Download Datasheet

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/1480/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com