**CITRAWEB SOLUSI TEKNOLOGI**
www.citraweb.com
info@citraweb.com
sales@citraweb.com

# OgmaConnect OC2511U (RoS Level 6)





**Kode :** OC2511U-L6
**Brand :** Discontinued
**Jenis :** Discontinued
**Harga :** Rp 27.940.000,00

Ogma Connect has introduced an extreme performance network security / utility platform, the OgmaConnect OC2511U, which is a 1U rack-mountable form factor with 11 Gigabit Ethernet ports, through PCIe / PCI interface and up to 4 sets of configurable LAN bypass segments for additional flexibility in terms of redundancy.


**Spesifikasi**

- **CPU :** Multi Core x86-64 64 Bit, Intel Core2Quad Processor
- **Memory :** 2 x 800MHz DDR2 Slots, 2 x1024MB 800MHz RAM (2Gb RAM) installed on the base Model
- **Boot loader :** Phoenix BIOS
- **Data storage :** 4x SATA, 3x 2.5" Internal HDD Bays, 1x CF Slots with True IDE IBM MicroDrive Support, 2x Internal USB 2.0 Header
- **Ethernet :** 11 x 10/100/1000 Mbit/s Intel Pro 1000 Gigabit Ethernet ports supporting Auto-MDI/X through Multiple PCI-E Lanes
- **PCI Slots :** 1x Mini PCI, 1x PCI 32 Bit, 1x PCI 64 Bit 133MHz
- **Serial port :** 1x RJ45 asynchronous serial port (external), 1x asynchronous serial port (internal)
- **LEDs / LCDs :** 1x back lit 2character x16 character LCD Display, Power and HDD LED
- **Speaker :** Mini PC - Speaker
- **Power :** IEC C13 Power Cord, input power: 100VAC-250VAC 50Hz- 60Hz (International PSU)
- **Fan :** 2x Redundant CPU/Power Supply /Chassis Fans,
- **Dimensions :** 43.1cm x 42.98 cm x 4.4 cm
- **Temperature :** Operational: 0Â°C to 40Â°C
- **Humidity :** Operational: up to 95% relative humidity (non-condensing)
- **Power Supply :** 270W ATX PSU
- **Operating System :** MikroTik Router OS

www.citraweb.com




Screen capture OC2511 di kondisi real, mampu melewatkan lebih dari 10 ribu pps dengan CPU load 5%




| Test Type | Aggregate Result |
|---|---|
| TCP Routed | 3.907 Mb/sec |
| Contrack Of | 321.772 Packet/sec |
| TCP Routed | 3.900 Mb/sec |
| Contrack On | 321.146 Packet/sec |
| TCP NAT | 3.661 Mb/sec |
| | 301.465 Packet/sec |
| AES 256 IPSEC ESP | 349,4 Mb/sec |
| AH & MD5 | 28.771 Packet/sec |

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

www.citraweb.com

**URL :** https://www.citraweb.com/produk/229/

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com**

www.citraweb.com