CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

NetProtector 8P 1U Rackmount - ver 2



Kode : NP8P-1U-v2
Brand : Discontinued
Jenis : Discontinued
Harga : Rp 1.200.000,00
~~Rp 1.500.000,00~~

8 Port POE yang bisa sekaligus proteksi dari petir (Protects an Ethernet data port from damaging surges). **Termasuk dengan Adaptor 24v-5A**.

Penawaran **Harga Spesial**
08112039555

NetProtector bukan sebuah switch, tetapi sebagai pengganti POE + Surge Arrester :



Netprotect PoE 8 port, adalah perangkat tambahan yang sangat berguna di instalasi jaringan wireless.

Fitur :

- protection of up to 24 devices (with all slots filled)
- PoE adapter functionality
- 0,3m grounding cable included
- all aluminium, black coated case for 19 inch RACK cabinets
- shielded RJ-45 sockets
- possibility of using additional two 8-port netprotector modules
- each module may be powered by separate power supply unit

www.citraweb.com






Dengan bantuan Adaptor 24volt - 5A yang sudah termasuk didalam paket pembelian, maka NetProtector bisa memberikan catudaya ke 8 perangkat wireless sekaligus.



Bisa ditambahkan modul NetProtect 8 Port, hingga maksimal 24 port.



Specification :

www.citraweb.com

- Input voltage range : 9-30V
- LAN ports : 8 x 10/100Mbps (24 port max)
- LAN & PoE ports : 8 x 10/100Mbps (24 port max)
- LAN/console ports : 1 x 10Mbps
- Power socket : DC 2.1/5.5
- M6 mounting screw : 4 pcs
- Max voltage : 30V
- Max current : 11A
- Weight : 1.5 kg

Signal Path - pairs 1-2, 3-6 :
Rated Voltage : 5V
Maximum Voltage UC : 6V
Protection level line-line UP : ≤40V - 1 kV / ms, C3
Protection level line-PG UP : ≤600V - 1 kV / ms, C3
Nominal discharge current iN line-line : 20A - 10 / 1000µs, C3
Nominal discharge current iN line-PG. : 20A - 10 / 1000µs, C3

Track Supply - lines 4, 5 and 7, 8 :
Rated Voltage : 30V
Maximum Voltage UC : 36V
Nominal Current IN : 400mA
Nominal Discharge current iN line-line : 10 A - 10 / 1000?s, C3
Nominal Discharge current iN line-PG. : 2kA - 8 / 20µs, C2
Protection Level line-line UP : ≤95V - 1 kV / ms, C3
Protection level line-PG UP : ≤1000V - 1,2 / 50µs, C2

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/535/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com