

# TwistPort Adaptors for Mimosa C5c TP-ADAP-C5c



**Kode** : TP-ADAP-C5c

**Kategori** : RF elements

**Harga** : Rp 495.000,00

Rp 587.500,00

TwistPort Adaptor adapts 3rd party radios to RF elements® proprietary TwistPort™ waveguide connector. Integration of the radio is smooth and requires no tools. Making 3rd party radios compatible with TwistPort™ allows for using the radio with any TwistPort™ antenna ever made and enable superior performance, noise immunity and network scalability.

**\*Not include radio and antenna**

Penawaran Harga Spesial

 08112039555

## What is TwistPort™ Adaptor

TwistPort Adaptor adapts 3rd party radios to RF elements® proprietary TwistPort™ waveguide connector. Integration of the radio is smooth and requires no tools. Making 3rd party radios compatible with TwistPort™ allows for using the radio with any TwistPort™ antenna ever made and enable superior performance, noise immunity and network scalability.


## For Mimosa C5c

TwistPort™ Adaptor for C5c is compatible with Mimosa C5c radios.



### Market Leading Performance

TwistPort™ Adaptors cover an ultra-wideband spectrum of 5180-6400 MHz and perform with superb efficiency with very well managed VSWR across the spectrum.



### Specifications :

|                               |   |
|-------------------------------|---|
| Antenna Connection            | TwistPort™ - Quick Locking Waveguide Port                 |
| Radio Connection              | 2x Slide-On RP-SMA  |
| Materials                     | Insert - Aluminium Alloy                                  |
|                               | Adaptor - UV stabilized and weather resistant ABS plastic |
| Flame Rating                  | UL 94 HB  |
| Temperature                   | -40°C to +60°C (-40°F to +140°F)                          |
| Wind Survival                 | 160 km/h  |
| Weight                        | 0.4 Kg / 0.9 lbs - single unit                            |
|                               | 0.52 Kg / 1.1 lbs - single unit incl. package             |
| Single Unit                   | Retail Box: 135 x 115 x 130 mm                            |
|                               |   |
| Frequency Range               | 5180 - 6400 MHz   |
| Polarization                  | Dual Linear H + V   |
| VSWR Max                      | 1.8   |
| Impedance                     | 50 Ohm  |
|                               |   |
| COMPATIBLE WIRELESS PLATFORMS |   |
| RF elements®                  | any TwistPort™ Antenna                                    |
| Mimosa Networks               | C5c   |
|                               |   |

[Download DataSheet](#)

[Download UserGuide](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/971/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**